





E70024

Height: 800
Width: 500
Depth: 89-119

Tube ϕ : 22 + 30x40 D Section
Pipe Centres / Face-Face Cons: 455
Elec. element if specified: 150 W
Output @ 50° C Δ T Watts: 252 W
BTUs: 860 W



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

22mm Curved

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:10

E70025

Height: 800
Width: 600
Depth: 95-125

Tube ϕ : 22 + 30x40 D Section
Pipe Centres / Face-Face Cons: 555
Elec. element if specified: 150 W
Output @ 50°C Δ T Watts: 295 W
BTUs: 1007 W



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

22mm Curved

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:10

E70026

Height: 1000
Width: 500
Depth: 89-119

Tube ϕ : 22 + 30x40 D Section
Pipe Centres / Face-Face Cons: 455
Elec. element if specified: 200 W
Output @ 50° C Δ T Watts: 308 W
BTUs: 1051 W



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

22mm Curved

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:10

E70027

Height: 1000
Width: 600
Depth: 95-125

Tube ϕ : 22 + 30x40 D Section
Pipe Centres / Face-Face Cons: 555
Elec. element if specified: 200 W
Output @ 50° C Δ T Watts: 361 W
BTUs: 1232 W



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

22mm Curved

All dimensions in millimetres



Manufactured from Mild Steel

SCALE 1:10

E70028

Height: 1200
Width: 500
Depth: 89-119

Tube ϕ : 22 + 30x40 D Section
Pipe Centres / Face-Face Cons: 455
Elec. element if specified: 200 W
Output @ 50° C Δ T Watts: 378 W
BTUs: 1290W



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

22mm Curved

All dimensions in millimetres



Manufactured from Mild Steel

SCALE 1:10

E70029

Height: 1200
Width: 600
Depth: 95-125

Tube ϕ : 22 + 30x40 D Section
Pipe Centres / Face-Face Cons: 555
Elec. element if specified: 300 W
Output @ 50° C Δ T Watts: 443 W
BTUs: 1512 W



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem[®]
bathrooms

All dimensions in millimetres

22mm Curved



Manufactured from Mild Steel

SCALE 1:10

E70030

Height: 1400
Width: 500
Depth: 89-119

Tube ϕ : 22 + 30x40 D Section
Pipe Centres / Face-Face Cons: 455
Elec. element if specified: 300 W
Output @ 50° C Δ T Watts: 431 W
BTUs: 1471 W



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

22mm Curved

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:10

E70031

Height: 1400
Width: 600
Depth: 95-125

Tube ϕ : 22 + 30x40 D Section
Pipe Centres / Face-Face Cons: 555
Elec. element if specified: 300 W
Output @ 50° C Δ T Watts: 504 W
BTUs: 1720 W



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

22mm Curved

All dimensions in millimetres



Manufactured from Mild Steel

SCALE 1:10

E70032

Height: 1600
Width: 500
Depth: 89-119

Tube ϕ : 22 + 30x40 D Section
Pipe Centres / Face-Face Cons: 455
Elec. element if specified: 300 W
Output @ 50° C Δ T Watts: 495 W
BTUs: 1689 W



SCALE 1:10

Manufactured from Mild Steel

All dimensions in millimetres

*Dual energy models require a conversion-tee, consult relevant drawing for details.



esteem
bathrooms

22mm Curved

E70033

Height: 1600
Width: 600
Depth: 95-125

Tube ϕ : 22 + 30x40 D Section
Pipe Centres / Face-Face Cons: 555
Elec. element if specified: 400 W
Output @ 50° C Δ T Watts: 580 W
BTUs: 1979 W



SCALE 1:10

Manufactured from Mild Steel

All dimensions in millimetres

*Dual energy models require a conversion-tee, consult relevant drawing for details.


esteem
bathrooms

22mm Curved



E70034

Height: 1800
Width: 500
Depth: 89-119

Tube ϕ : 22 + 30x40 D Section
Pipe Centres / Face-Face Cons: 455
Elec. element if specified: 400 W
Output @ 50°C Δ T Watts: 558W
BTUs: 1904 W



1640



SCALE 1:10

Manufactured from Mild Steel

All dimensions in millimetres

*Dual energy models require a conversion-tee, consult relevant drawing for details.



esteem
bathrooms

22mm Curved

E70035

Height: 1800
Width: 600
Depth: 95-125

Tube ϕ : 22 + 30x40 D Section
Pipe Centres / Face-Face Cons: 555
Elec. element if specified: 400 W
Output @ 50° C Δ T Watts: 654 W
BTUs: 2231 W



SCALE 1:10

Manufactured from Mild Steel

All dimensions in millimetres

position of element
if specified dual
energy*/ electric

*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

22mm Curved