



E70086

Height: 800
Width: 500
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 455
Elec. element if specified: 150 W
Output @ 50°C Δ T Watts: 271
BTUs: 925



brackets extendable
by a further 20mm



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:8


E70087

Height: 800
Width: 500
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 455
Elec. element if specified: 150 W
Output @ 50° C Δ T Watts: 271 W
BTUs: 925 W



brackets extendable
by a further 20mm



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:8


E70088

Height: 800
Width: 500
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 455
Elec. element if specified: 150 W
Output @ 50°C ΔT Watts: 271 W
BTUs: 925 W



brackets extendable
by a further 20mm



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:8


E70089

Height: 800
Width: 500
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 455
Elec. element if specified: 150 W
Output @ 50° C Δ T Watts: 271 W
BTUs: 925 W



brackets extendable
by a further 20mm



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:8


E70090

Height: 800
Width: 500
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 455
Elec. element if specified: 150 W
Output @ 50°C Δ T Watts: 271 W
BTUs: 925 W



brackets extendable
by a further 20mm



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:8


E70091

Height: 800
Width: 500
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 455
Elec. element if specified: 150 W
Output @ 50°C ΔT Watts: 271 W
BTUs: 925 W



brackets extendable
by a further 20mm



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:8




E70092

Height: 1200
Width: 300
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 255
Elec. element if specified: 200 W
Output @ 50° C Δ T Watts: 424 W
BTUs: 1447 W



brackets extendable
by a further 20mm



position of element
if specified dual
energy*/ electric

*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:10

E70093

Height: 1200
Width: 300
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 255
Elec. element if specified: 200 W
Output @ 50°C Δ T Watts: 424 W
BTUs: 1447 W



*Dual energy models require a conversion-tee, consult relevant drawing for details.



25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:10


E70094

Height: 1200
Width: 300
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 255
Elec. element if specified: 200 W
Output @ 50° C Δ T Watts: 424 W
BTUs: 1447 W



brackets extendable
by a further 20mm



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:10




E70095

Height: 1200
Width: 300
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 255
Elec. element if specified: 200 W
Output @ 50°C Δ T Watts: 424 W
BTUs: 1447 W



brackets extendable
by a further 20mm



position of element
if specified dual
energy*/ electric

*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:10

E70096

Height: 1200
Width: 300
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 255
Elec. element if specified: 200 W
Output @ 50°C ΔT Watts: 424 W
BTUs: 1447 W



brackets extendable
by a further 20mm

position of element
if specified dual
energy*/ electric

*Dual energy models require a conversion-tee, consult relevant drawing for details.



25mm Straight

All dimensions in millimetres




Manufactured from Mild Steel

SCALE 1:10


E70097

Height: 1200
Width: 300
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 255
Elec. element if specified: 200 W
Output @ 50°C Δ T Watts: 424 W
BTUs: 1447 W



brackets extendable
by a further 20mm



position of element
if specified dual
energy*/ electric

*Dual energy models require a conversion-tee, consult relevant drawing for details.



25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:10



E70098

Height: 1200
Width: 500
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 455
Elec. element if specified: 300 W
Output @ 50° C Δ T Watts: 663 W
BTUs: 2262 W



brackets extendable
by a further 20mm



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:10



E70099

Height: 1200
Width: 500
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 455
Elec. element if specified: 300 W
Output @ 50°C Δ T Watts: 663 W
BTUs: 2262 W



brackets extendable
by a further 20mm



position of element
if specified dual
energy*/ electric

*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:10



E70100

Height: 1200
Width: 500
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 455
Elec. element if specified: 300 W
Output @ 50°C ΔT Watts: 663 W
BTUs: 2262 W



brackets extendable
by a further 20mm



position of element
if specified dual
energy*/ electric

*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:10



E70101

Height: 1200
Width: 500
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 455
Elec. element if specified: 300 W
Output @ 50°C Δ T Watts: 663 W
BTUs: 2262 W



brackets extendable
by a further 20mm



position of element
if specified dual
energy*/ electric

*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:10



E70102

Height: 1200
Width: 500
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 455
Elec. element if specified: 300 W
Output @ 50°C Δ T Watts: 663 W
BTUs: 2262 W



brackets extendable
by a further 20mm



position of element
if specified dual
energy*/ electric

*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:10



E70103

Height: 1200
Width: 500
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 455
Elec. element if specified: 300 W
Output @ 50°C ΔT Watts: 663 W
BTUs: 2262 W



brackets extendable
by a further 20mm



position of element
if specified dual
energy*/ electric

*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:10


E70104

Height: 1200
Width: 600
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 555
Elec. element if specified: 400 W
Output @ 50° C Δ T Watts: 783 W
BTUs: 2672 W



brackets extendable
by a further 20mm



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:10


E70105

Height: 1200
Width: 600
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 555
Elec. element if specified: 400 W
Output @ 50° C Δ T Watts: 783 W
BTUs: 2672 W



brackets extendable
by a further 20mm



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:10


E70106

Height: 1200
Width: 600
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 555
Elec. element if specified: 400 W
Output @ 50°C Δ T Watts: 783 W
BTUs: 2672 W



brackets extendable
by a further 20mm



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:10


E70107

Height: 1200
Width: 600
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 555
Elec. element if specified: 400 W
Output @ 50°C ΔT Watts: 783 W
BTUs: 2672 W



brackets extendable
by a further 20mm



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:10


E70108

Height: 1200
Width: 600
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 555
Elec. element if specified: 400 W
Output @ 50°C Δ T Watts: 783 W
BTUs: 2672 W



brackets extendable
by a further 20mm



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:10


E70109

Height: 1200
Width: 600
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 555
Elec. element if specified: 400 W
Output @ 50°C ΔT Watts: 783 W
BTUs: 2672 W



brackets extendable
by a further 20mm



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:10


E70110

Height: 1800
Width: 500
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 555
Elec. element if specified: 600 W
Output @ 50° C Δ T Watts: 969 W
BTUs: 3306 W



brackets extendable
by a further 20mm



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:12


E70111

Height: 1800
Width: 500
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 555
Elec. element if specified: 600 W
Output @ 50°C Δ T Watts: 969 W
BTUs: 3306 W



brackets extendable
by a further 20mm



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:12


E70112

Height: 1800
Width: 500
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 555
Elec. element if specified: 600 W
Output @ 50° C Δ T Watts: 969 W
BTUs: 3306 W



brackets extendable
by a further 20mm



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:12


E70113

Height: 1800
Width: 500
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 555
Elec. element if specified: 600 W
Output @ 50°C Δ T Watts: 969 W
BTUs: 3306 W



brackets extendable
by a further 20mm



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:12


E70114

Height: 1800
Width: 500
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 555
Elec. element if specified: 600 W
Output @ 50°C Δ T Watts: 969 W
BTUs: 3306 W



brackets extendable
by a further 20mm



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres


Manufactured from Mild Steel

SCALE 1:12


E70115

Height: 1800
Width: 500
Depth: 93-113

Tube ϕ : 25 + 30x40 D Section
Pipe Centres / Face-Face Cons: 555
Elec. element if specified: 600 W
Output @ 50° C Δ T Watts: 969 W
BTUs: 3306 W



brackets extendable
by a further 20mm



*Dual energy models require a conversion-tee, consult relevant drawing for details.

esteem
bathrooms

25mm Straight

All dimensions in millimetres

Manufactured from Mild Steel

SCALE 1:12