





E70302

Height: 772
Width: 500
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Output @ 50°C ΔT Watts: 290 W
BTUs: 989 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:8

E70303

Height: 772
Width: 500
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Elec. element if specified: 125 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:8

E70304

Height: 772
Width: 500
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Elec. element if specified: 125 W
Output @ 50° C Δ T Watts: 290 W
BTUs: 989 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:8

E70305

Height: 772
Width: 600
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Output @ 50° C Δ T Watts: 347 W
BTUs: 1184 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:8

E70306

Height: 772
Width: 600
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Elec. element if specified: 200 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:8

E70307

Height: 772
Width: 600
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Elec. element if specified: 200 W
Output @ 50° C Δ T Watts: 347 W
BTUs: 1184 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres



Manufactured from Mild Steel

SCALE 1:8

E70308

Height: 1186
Width: 500
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Output @ 50° C Δ T Watts: 465 W
BTUs: 1587 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres



Manufactured from Mild Steel

SCALE 1:8

E70309

Height: 1186
Width: 500
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Elec. element if specified: 300 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres



Manufactured from Mild Steel

SCALE 1:8

E70310

Height: 1186
Width: 500
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Elec. element if specified: 300 W
Output @ 50° C Δ T Watts: 465 W
BTUs: 1587 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:8

E70311

Height: 1186
Width: 600
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Output @ 50° C Δ T Watts: 553 W
BTUs: 1887 W



esteem
bathrooms

All dimensions in millimetres

Edessa Straight





Manufactured from Mild Steel

SCALE 1:8

E70312

Height: 1186
Width: 600
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Elec. element if specified: 300 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres




Manufactured from Mild Steel

SCALE 1:8

E70313

Height: 1186
Width: 600
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Elec. element if specified: 300 W
Output @ 50° C Δ T Watts: 553 W
BTUs: 1887 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:8

E70314

Height: 1508
Width: 500
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Output @ 50° C Δ T Watts: 581 W
BTUs: 1982 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres



Manufactured from Mild Steel

SCALE 1:10

E70315

Height: 1508
Width: 500
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Elec. element if specified: 400 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres



Manufactured from Mild Steel

SCALE 1:10

E70316

Height: 1508
Width: 500
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Elec. element if specified: 400 W
Output @ 50° C Δ T Watts: 581 W
BTUs: 1982 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:10

E70317

Height: 1508
Width: 600
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Output @ 50° C Δ T Watts: 686 W
BTUs: 2341 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres




Manufactured from Mild Steel

SCALE 1:10

E70318

Height: 1508
Width: 600
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Elec. element if specified: 400 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres




Manufactured from Mild Steel

SCALE 1:10

E70319

Height: 1508
Width: 600
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Elec. element if specified: 400 W
Output @ 50° C Δ T Watts: 686 W
BTUs: 2341 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:10

E70320

Height: 1738
Width: 500
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Output @ 50° C Δ T Watts: 687 W
BTUs: 2344 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:12

E70321

Height: 1738
Width: 500
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Elec. element if specified: 600 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres




Manufactured from Mild Steel

SCALE 1:12

E70322

Height: 1738
Width: 500
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Elec. element if specified: 600 W
Output @ 50° C Δ T Watts: 687 W
BTUs: 2344 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:12

E70323

Height: 1738
Width: 600
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Output @ 50°C ΔT Watts: 815 W
BTUs: 2781 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres



Manufactured from Mild Steel

SCALE 1:12

E70324

Height: 1738
Width: 600
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Elec. element if specified: 600 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres




Manufactured from Mild Steel

SCALE 1:12

E70325

Height: 1738
Width: 600
Depth: 80

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Elec. element if specified: 600 W
Output @ 50° C Δ T Watts: 815 W
BTUs: 2781 W



esteem
bathrooms

Edessa Straight

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:12

E70326

Height: 772
Width: 500
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Output @ 50° C Δ T Watts: 290 W
BTUs: 989 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:8

E70327

Height: 772
Width: 500
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Elec. element if specified: 125 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:8

E70328

Height: 772
Width: 500
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Elec. element if specified: 125 W
Output @ 50° C Δ T Watts: 290 W
BTUs: 989 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres




Manufactured from Mild Steel

SCALE 1:8

E70329

Height: 772
Width: 600
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Output @ 50° C Δ T Watts: 347 W
BTUs: 1184 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres



Manufactured from Mild Steel

SCALE 1:8

E70330

Height: 772
Width: 600
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Elec. element if specified: 200 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres



Manufactured from Mild Steel

SCALE 1:8

E70331

Height: 772
Width: 600
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Elec. element if specified: 200 W
Output @ 50° C Δ T Watts: 347 W
BTUs: 1184 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:8

E70332

Height: 1186
Width: 500
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Output @ 50° C Δ T Watts: 465 W
BTUs: 1587 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres



Manufactured from Mild Steel

SCALE 1:8

E70333

Height: 1186
Width: 500
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Elec. element if specified: 300 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:8

E70334

Height: 1186
Width: 500
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Elec. element if specified: 300 W
Output @ 50° C Δ T Watts: 465 W
BTUs: 1587 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres



Manufactured from Mild Steel

SCALE 1:8

E70335

Height: 1186
Width: 600
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Output @ 50° C Δ T Watts: 553 W
BTUs: 1887 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres



Manufactured from Mild Steel

SCALE 1:8

E70336

Height: 1186
Width: 600
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Elec. element if specified: 300 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres



Manufactured from Mild Steel

SCALE 1:8

E70337

Height: 1186
Width: 600
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Elec. element if specified: 300 W
Output @ 50° C Δ T Watts: 553 W
BTUs: 1887 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:8

E70338

Height: 1508
Width: 500
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Output @ 50° C Δ T Watts: 581 W
BTUs: 1982 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:10

E70339

Height: 1508
Width: 500
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Elec. element if specified: 400 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:10

E70340

Height: 1508
Width: 500
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Elec. element if specified: 400 W
Output @ 50° C Δ T Watts: 581 W
BTUs: 1982 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:10

E70341

Height: 1508
Width: 600
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Output @ 50° C Δ T Watts: 686 W
BTUs: 2341 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres




Manufactured from Mild Steel

SCALE 1:10

E70342

Height: 1508
Width: 600
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Elec. element if specified: 400 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres



Manufactured from Mild Steel

SCALE 1:10

E70343

Height: 1508
Width: 600
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Elec. element if specified: 400 W
Output @ 50° C Δ T Watts: 686 W
BTUs: 2341 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:10

E70344

Height: 1738
Width: 500
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Output @ 50° C Δ T Watts: 687 W
BTUs: 2344 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:12

E70345

Height: 1738
Width: 500
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Elec. element if specified: 600 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:12

E70346

Height: 1738
Width: 500
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 450
Elec. element if specified: 600 W
Output @ 50° C Δ T Watts: 687 W
BTUs: 2344 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:12

E70347

Height: 1738
Width: 600
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Output @ 50° C Δ T Watts: 815 W
BTUs: 2781 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:12

E70348

Height: 1738
Width: 600
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Elec. element if specified: 600 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres





Manufactured from Mild Steel

SCALE 1:12

E70349

Height: 1738
Width: 600
Depth: 100

Tube ϕ : 32 + 22
Pipe Centres / Face-Face Cons: 550
Elec. element if specified: 600 W
Output @ 50° C Δ T Watts: 815 W
BTUs: 2781 W



esteem
bathrooms

Edessa Curved

All dimensions in millimetres

Manufactured from Mild Steel

SCALE 1:12