

| No. | Description |
|-----|---------------------|
| 1 | Single Door Cabinet |
| 2 | Double Door Cabinet |

| Fixings Included |
|------------------|
| YES |
| YES |




Features

- Shaver Socket
- LED Lighting
- Rocker Switch
- Soft Close Door
- Two Internal Shelves

Dimensions

Diagrams not to scale. All dimensions in mm (tolerance of +/-5mm)







*Dimensions are subject to change, customers are advised to measure actual product before commencing installation.
 **Fixing point dimensions are for guidance only/the positions of wall fixing must be checked when product is received.

Extra Dimensions

| Dimension | Measurement |
|---|---|
| Internal Depth | 100mm |
| Internal Width | 405mm |
| Shelf Size | 396mm x 95mm |
| Max. Shelf Spacing | Shelves adjustable at increments of 70mm, upto a maximum of 350mm |
| Distance between hinge centres | 400mm |
| Distance from hinge centre to internal top edge | 150mm |
| Distance between fixing points (centres) | 385mm |
| Door Height | 650mm |
| Door Width | 440mm |
| Door Opening Angle | 90° |
| Depth with Door Fully Open | 555mm |

Dimensions

Diagrams not to scale. All dimensions in mm (tolerance of +/-5mm)



*Dimensions are subject to change, customers are advised to measure actual product before commencing installation.
 **Fixing point dimensions are for guidance only/the positions of wall fixing must be checked when product is received.

Extra Dimensions

| Dimension | Measurement |
|--|---|
| Internal Depth | 100mm |
| Internal Width | 560mm |
| Shelf Size | 553mm x 95mm |
| Max. Shelf Spacing | Shelves adjustable at increments of 70mm, upto a maximum of 350mm |
| Distance between fixing points (centres) | 545mm |
| Door Height | 650mm |
| Door Width | 302mm |
| Door Opening Angle | 90° |
| Depth with Door Fully Open | 415mm |

FAQ's

Q: Is the cabinet IP44 rated?

A: Yes, it can be placed in Zone 2 and outside zones.

Q: How do you fix the cabinet to the wall?

A: The mirror is installed using the bracket fixing pack provided. Refer to enclosed instructions for further details.

Q: What size fuse should I use?

A: We cannot recommend fuse size as each installation is different a qualified Electrician should be consulted in accordance with IEE 7671.

Q: What is the thickness of the cabinet door glass?

A: 5mm PVC film backed.

Q: Is the cabinet fitted with a mains cable?

A: Yes, the cable length is approximately 500mm (see drawing above). There is plenty of room for excess cable if needed.

Q: What is the total power consumption?

A: 55Watts.

Q: Does the mirror/cabinet have an energy rating?

A: The mirror has an energy rating for the LED lighting used only in accordance with EU 874-2012. LED's used in this products are rated as 'A'.

Q: What is the colour of the light?

A: 6000K (cool white)

Q: Does the cabinet have a shaver socket?

A: Yes

Q: Where is the Rocker switch located?

A: See previous page drawings.

Q: Can the Rocker Switch be re-positioned?

A: No, the location of the switch can't be changed.

Q: Can the LED lighting be replaced?

A: Yes, See on last page instruction packages available for this mirror.

Q: What is the guarantee on this product?

A: 2 years