

WILTON

No.	Description	
1	LED Mirror	
2	LED Mirror	

Fixings Included
YES
YES





Features


- Long Life/ Low Power LED Lighting
- IP44 Rated
- On/Off Rocker Switch




WILTON

Diagrams not to scale. All dimensions in mm (tolerance of +/-5mm)


Dimensions




<u>Fixing Points:</u> Keyhole Slots, located at 65mm from top edge. <u>Fixing Point Separation:</u> 415mm (Portrait)/ 665mm (Landscape)



Dimensions







WILTON

FAQ's

Q: Is the mirror IP44 rated?

A: Yes, it can be placed in Zone 2 and outside zones.

Q: Can the mirror be hung portrait and landscape?

A: Yes.

Q: How do you fix the mirror to the wall?

A: The mirror is installed using the fixing pack provided. Refer to enclosed instructions for further details.

Q: What size fuse should I use?

A: We cannot recommend fuse size as each installation is different a qualified Electrician should be consulted in accordance with IEE 7671.

Q: What is the thickness of the mirror glass?

A: 5mm PVC back filmed.

Q: Is the mirror fitted with a mains cable?

A: Yes, the cable length is approximately 500mm (see drawing above). There is room for excess cable if needed.

Q: Does the mirror have an energy rating?

A: The mirror has an energy rating for the LED lighting used only in accordance with EU 874-2012. LED's used in this products are rated as 'A'.

Q: What is the color of the light?

A: 6500K (cool white)

Q: Does the mirror have a shaver socket?

A: No

Q: Where is the Rocker Switch located?

A: See previous page drawings.

Q: Can the Rocker Switch be re-positioned?

A: No, the location of the Rocker Switch can't be changed.

Q: Can the LED lighting or Rocker Switch be replaced?

A: Yes, See on last page instruction packages available for this mirror.

Q: What is the guarantee on this product?

A: 2 years